

mahindra
IMPLEMENTS



**OUTWORKING
THE FIELD**

TABLE OF CONTENTS

Introduction	2
Front/Rear-Mounted Snow Blowers	4
Rear-Mounted Snow Blowers	6
Skid-Steer Snow Blades	8
Skid-Steer Snow Pushes	10
Options & Upgrades	12
Everyday Implements	14



NIP IT IN THE BUD UNTIL EVERYTHING BLOSSOMS.

Mahindra winter implements are a great choice for efficiently clearing snow until the spring thaw. Engineered for long-lasting durability, they deliver reliable performance, allowing you to focus on restoring your parking lots, driveways, and roads while improving safety and mobility.

Here, we've eliminated the guesswork by matching all current-selling Mahindra tractors to available Mahindra winter implements. But if you are a novice, no worries! There are 450 Mahindra dealers ready to assist you in finding the right implement.



FRONT-MOUNTED SNOW BLOWERS

MAINTAINING DRIVEWAYS, PARKING LOTS, AND ROADS

Mahindra front-mounted snow blowers, powered by a mid PTO-connected belt drive system, allow operators to quickly blow powdery and wet snow at a great distance and in one pass. Commercial-duty models are used in airports, churches, hospitals, city roads, schools, and shopping centers, while residential-duty blowers rapidly clear home driveways and sidewalks. Consider adding on a cab, snowdrift cutters, headlights, and a remote-controlled spout deflector.

FEATURES & BENEFITS

- Stout auger and impeller, with shear bolt protection and heavy-duty gear box, aggressively chops and disperses snow and ice
- 10- and 12-gauge housing with double-walled bottom base and reversible and replaceable scrape blade help protect snowblower housing against damage
- 48- to 66-inch models include long-lasting, zero-maintenance 2-inch timing belt to eliminate vibration and minimize noise
 - Adjustable and replaceable skid shoes for gliding over various terrains with ease



SPECIFICATIONS

BLOWER FEATURES	50-INCH	58-INCH	66-INCH
Connector Type	Fixed-mount; Belt Drive		
Tractor PTO Power (hp)	14 - 22	14 - 25	19 - 31
Box Width (inch)	50	58	66
Box Height (inch)	21	23	27
Housing (gauge)	10 & 12		
Gear Box	Heavy-duty; Maintenance-free		
4-Blade Impeller Diameter (inch)	14	14	18
Drive Type	2-inch Belt Drive; No maintenance, no adjustments, eliminates vibrations, & reduces noise		
Scraper Bar Blade	1/4 x 2 inch	1/4 x 2 inch	3/8 x 2 inch
	Hardox 400 Steel; Reversible and replaceable		
Skid Shoes	Adjustable and replaceable		
Spout Deflection	Manual; Optional electric or hydraulic		
Chute Rotation	Manual	Hydraulic	
Warranty	2-year residential	2-year residential	2-year commercial
SKU No.	BEREMXSB48	BERSB60 ^[1]	BERSB66 ^[1]
TRACTOR COMPATIBILITY	48-INCH	60-INCH	66-INCH
1120	X		
1123	X		
1126	X		
2123		X	
2126		X	
1626			X
1635			X
1640			X
2638			X
2645			
2660			

[1] Requires tractor fitting kit

[2] Requires Ag tires

REAR-MOUNTED SNOW BLOWERS

MAINTAINING DRIVEWAYS, PARKING LOTS, AND ROADS

Mahindra rear-mounted snow blowers, PTO-powered using a 3-point connection, allow operators to blow powdery and wet snow quickly at a great distance and in one pass. Commercial-duty models can be used in airports, churches, hospitals, city roads, schools, and shopping centers, while residential-duty blowers rapidly clear home driveways and sidewalks. Consider adding on a cab, snowdrift cutters, headlights, and a remote-controlled spout deflector.

Be sure to ask about our eMax / MaxXL (SKU No. BERMXCAB) or a 1600 Series (SKU No. BERXLCAB) 360°-degree clear view soft cab.

FEATURES & BENEFITS

- Heavy-duty auger and impeller with shear bolt protection, aggressively chops and disperses snow and ice
- Double-walled bottom base and reversible and replaceable scrape blade help protect snowblower housing against damage
- Adjustable and replaceable skid shoes glide over various terrains with ease
- Choose between manual hand crank model (R) or electric for both rotation and deflector adjustment (RE) or hydraulic rotation with manual deflector (RH) On hydraulic chute models, upgrade to electric chute rotation (freeing up a hydraulic connection)



SPECIFICATIONS

BLOWER FEATURES	48-INCH		56-INCH		64-INCH		72-INCH	
Connector Type			3-point					
Category			1					
Tractor PTO Power (hp)	14 - 25		18 - 40		25 - 40			
Housing (gauge)			10 & 12					
Box Width (inch)	48		56		64		72	
Box Height (inch)	27		23		27			
Gear Box			Heavy-duty; Maintenance-free					
Timing Belt Drive	2-inch; No maintenance, no adjustments, eliminates vibrations, & reduces noise		—					
4-Blade Impeller Diameter (inch)	22		26					
Scraper Bar Blade	3/8 thick x 3 tall; Hardox 400 Steel; Reversible and replaceable							
Skid Shoes			Adjustable and replaceable					
Spout Deflection	M	E	M	E	M	E	M	E
Chute Rotation	M	E	H	M	E	H	M	E
Parking Stand			Standard					
Warranty			2-year residential					
SKU No.	BER3PTSB48R	BER3PTSB48RE	BER3PTSB48RH	BER3PTSB56R	BER3PTSB56RE	BER3PTSB56RH	BER3PTSB64R	BER3PTSB64RE
TRACTOR COMPATIBILITY	48-INCH		56-INCH		64-INCH		72-INCH	
1120	X		X					
1123	X		X					
1126	X		X					
2123	X		X	X	X			
2126	X		X	X	X			
1626						X		X
1635						X		X
1640						X		X
2638						X		X
2645						X		X
2660						X		X
2670						X		X

E = Electric H = Hydraulic M = Manual

SKID-STEER SNOW BLADES

CLEAR BARNS, DRIVEWAYS, PARKING LOTS, AND ROADS

Mahindra skid-steer snow blades are stellar performers at farms, churches, neighborhoods, shopping centers, and other venues that operate many front attachments. Not just for snow, these blades remain firm on the ground at all times, removing vast amounts of aggregate in a single pass while leaving behind strategically placed windrows. Use for back dragging, too, getting very close to curbs, garages, or other structures.

FEATURES & BENEFITS

- For manual adjustment blades, we offer five locking left and right positions from 0° to 25° degrees
- Equipped with trip spring protection system to help prevent blade and tractor damage
- Heavy-duty steel, adjustable and replaceable skid shoes, and reversible and replaceable scraper bar for long product life
- Scraper blades float and tilt 5° helps maintain ground contour contact



SPECIFICATIONS

BLADE FEATURES	62-INCH	72-INCH
Connector Type	Skid Steer	
Tractor Power (hp)	19 - 44	22 - 44
Blade Width (inch)	62	72
Blade Height (inch)	22.5	
Blade Thickness (gauge)	10 & 12; 1/4-inch rear plate reinforcements	
Scraper Bar Blade	Reversible and replaceable	
Operating Angles (degrees)	0 - 25 left & 0 - 25 right	
Rotation Power	Manual	
Warranty	1-year residential	
SKU No.	BERBLLD62MSSL	BERBLLD72MSSL
TRACTOR COMPATIBILITY	62-INCH	72-INCH
1120	X	X
1123	X	X
1126	X	X
2123	X	X
2126	X	X
1626	X	X
1635	X	X
1640	X	X
2638	X	X
2645	X	X
2660		X
2670		



SKID-STEER SNOW PUSHES

PUSH, BACK DRAG, AND STACK SNOW OR OTHER DEBRIS

If you want to avoid making windrows, a Mahindra skid-steer snow push is your best bet to contain, push and stack snow. What's more, its commercial-duty enclosed design has no moving parts that can break or malfunction. It's quicker at clearing snow in a parking lot than its snow plow cousin, and is great for moving other materials, too, including manure and food in feedlots. Snow pushes can be found working around farms, parking lots, city and side streets, and other venues that operate many skid-steer attachments.

FEATURES & BENEFITS

- Strong steel housing, durable skid shoes and reinforced side plates capture and remove even the heaviest snow without leaving windrows or spillover
- Reversible and replaceable steel cutting edge designed to clear snow on concrete and asphalt
- Optional pull back kits for back dragging snow from buildings, fences and confined areas
- Optional marker kits for increased plow edges visibility

SPECIFICATIONS

PUSH FEATURES	62-INCH	72-INCH
Connector Type		Skid-Steer
Tractor Power (hp)	19 - 44	22 - 44
Max Tractor Weight (lb)		3500
Housing Width (inch)	62	72
Housing Depth (inch)		28
Housing Height (inch)		22
Skid Shoes		Adjustable and replaceable
Cutting Edge		Reversible and replaceable steel
Markers Kit		Optional
Pull Back Kit (Back Dragging)		Optional
Warranty		2-year residential
SKU No.	BERSP62R	BERSP72R
TRACTOR COMPATIBILITY	62-INCH	72-INCH
1120	X	X
1123	X	X
1126	X	X
2123	X	X
2126	X	X
1626	X	X
1635	X	X
1640	X	X
2638	X	X
2645	X	X
2660	X	X
2670	X	X



OPTIONS & UPGRADES

DO MORE WITH YOUR MAHINDRA SNOW IMPLEMENTS

Mahindra implements are feature-packed and field-tested to ensure they last for years. However, many customers require upgraded functionality or additional protection for their tools. Use this chart to guide you should you need more from your Mahindra snow equipment.

SKU NO.	PART DESCRIPTION	TRACTOR COMPATIBILITY											FITS IMPLEMENT
		1120	1123	1126	2123	2126	1626	1635	1640	2638	2645	2660	
FRONT-MOUNTED SNOW BLOWERS													
BER7005591	Electric Deflector Kit	X	X	X	X	X							BERSB50 BERSB58
BER7006661	Electric Deflector Kit						X	X	X	X	X		BERH20SB66
BER700472	Extension Panel & Widening Angle Kit	X	X	X									BEREMXSB48
BER700563	Extension Panel & Widening Angle Kit				X	X							BERSB50 BERSB58
BER700792	Side Wing Kit				X	X	X	X	X	X	X		BERH20SB66
BER701211	Drift Cutters, Pair	X	X	X	X	X							BERSB50
BER700260	Drift Cutters, Pair	X	X	X	X	X							BERSB58 BERH20SB66
BER700670	Drift Cutters, Pair						X	X	X	X	X		BERH20SB66
BER700719	Nylon Skid Shoes, Pair	X	X	X									BEREMXSB48
REAR-MOUNTED SNOW BLOWERS													
BER7006662	Electric Deflector Kit	X	X	X	X	X	X	X	X	X	X		BER3PTSB48R/RE/RH BER3PTSB56R/RE/RH BER3PTSB64R/RE/RH
SKID-STEER SNOW PUSHES													
BER700991	Back Drag, 62-inch Model				X	X	X	X	X	X	X	X	BERSP62R
BER700992	Back Drag, 72-inch Model				X	X	X	X	X	X	X	X	BERSP72R
BER701005	Two Pack Back Drag Skid Shoes				X	X	X	X	X	X	X	X	BERSP62R BERSP72R
SOFT CAB ENCLOSURES													
BERMXCAB	Soft Cab Enclosure	X	X	X	X	X							Not Applicable
BERXLCAB	Soft Cab Enclosure						X	X	X	X			Not Applicable



IMPLEMENT YOUR PLAN

WITH MAHINDRA EVERYDAY ATTACHMENTS

At Mahindra, we engineer our everyday implements to be heavy-duty, simple to attach and use, and provide exceptional year-after-year reliability. See our everyday implements brochure for a more extensive lineup of CAT 0, 1, and 2 rear implements and front loader attachments.



Bale Spears



Rotary Cutters



Blades



Disc Harrows



Augers



Pallet Forks



Box Scrapers



Rake Grapples

OUTWORKING THE FIELD

mahindra

9020 Jackrabbit Road, Suite 600

Houston, Texas 77095

(877) 449-7771

mahindrausa.com mahindracanada.ca



LOCATE A DEALER

Mahindra USA, Inc., reserves the right to change the stated specifications without notice. This brochure is for descriptive purposes only and reasonable efforts were made to verify the information contained in it. Some items shown may be optional and some machinery shown may not be available at all dealers. Mahindra disclaims all representations and warranties, express or implied, or any liability from the use of this brochure. For complete warranty, safety, and product information, consult your local Mahindra dealer and the product operation manual. Engine power (hp/kw) and other specifications are based on various standards and best practices. This brochure is intended for the United States and its territories only. For more information visit our website.

Rev 12222025